SATELLITE ACCUMULATION AREAS REVISED 03/10/2007

Bldg	POC			Type of a	rea		Waste	Waste Description
		HW	Oil/Oily rags	Universal	Project	Parts Washer	Codes	
A41	Eugene Ward 1406				•		Non	Hydraulic oil from antenna changes
B31 Testing	Henry Henry 2026	•					F002	Inhibisol rags (1,1,1 TCE)
B31 GM	John Conquest 1485		•				Non	Used oil from mowers
D1 N Hangar	Jeff Sigrist 1919	•	•	•	•		D001, D035, F005, D002, D007; F001; D001; Non; UW; D001, F003, F005, D035	MEK rags(D001 F005 D035), Methylene Chloride (F001) used for stripping airplane parts prior to painting, JP8 (D001), Oil (non), oily rags (non), spray cans(D001 and non), UW batteries, Paint thinner (D001 F003F005D035)
D1 N120 AAI	Dave Smith 4632	•					F001 F003 F005	Solvent rags w/ MEK, Acetone, Inhibisol used on aircraft parts
D-1 Baysys Hangar		•					D001, Non	JP-8, oily rags
D-1 S107 Baysys	Kevin Lovell 4640	•					D002,D007	Alodine and water
D2						•	non	Nonhaz PW
D8	Russel Fish 2120		•			•	Non	Oily rags, PW from cleaning boiler parts
D37	Eddie Gray 1122	•					D001	JP8/JPTS fuel samples aircraft fuel storage tanks
D50	Cliff Taylor 1083		•				Non	Used oil from maintenance at FOTW
E2 front	Ralf Wooten 1502			•			D011,UW	Silver in Photoprocessing chemicals, UW batteries
NASA Hobby Shop	Will Mast Dwayne Turley 1468							
E10	Shane Whealton 1090		•				non	Oily rags, used oil
F7 140	Greg Parks 1490	•					F001,F003	Methylene Chloride, Acetone and MIBK rags
F7 105	Jim Lagarde 1165			•			UW	Universal waste batteries
F7 126	Henry Hart 1218	•					F003, F005	MEK, acetone rags
F7 142	Fritz Stapf	•					F003, F005s	MEK, acetone rags
F10 various	Glenn Finney 1523 Harold Farrington	•	•			•	F003, D008, Non	Acetone rags, Nonhaz cutting fluid, oil, and blaster grit containing lead from machine shop for rocket assembly
F10A	Glenn Finney 1523		•				Non	Used oil from machine shop
F10B	Ken Tull 1239	•			-		D001 F003F005	Petroleum Naptha from cleaning paint gun

				Type of an	rea			
F10 W301, N103, N230	Harold Cherrix 1788	•					D008	Solder past and wipes from circuit board for rockets
F10 W302	Dale Henderson 1739			•			UW	Nicad batteries from rockets
		HW	Oil/Oily rags	Universal	Project	Parts Washer		
F10 ACS	Jerry Doyon 1100	•					D001, F003	Acetone and alcohol rags,
F16 Etron	Tony Webster 1953			•			UW	Universal waste batteries
F16El	Kenny Taylor 1446	•	•	•			D009, F001,UW	Crushed fluorescent tubes from maintenance, 111tce &tetra rags, oily rags,UW lead acid batteries,
F16AC	Rodney Beasley 1511		•	•			Non, UW	Refrigerant oil, oily rags,UW batteries, thermostats from changeouts
F16G	Larry Thornton 1451	•	•			•	Non, D018 D039, Non	Used oil, fuel filters, nonhaz PW
F16PS	Tom Chance 1878 57-428 Brett Mariner 1895	•					All are D001, D035,F003, F005	Paint related materials, thinner, paint, paint rags
F-160 C125	Bob Swift 1432			•			UW	UW Batteries
F160 E113, E114 and E115	Monica Borowicz 1023	•					D001, various	JP8, various outdated chemicals from chemical laboratory
M15	Ernie Cornwell 2548,57-340	•	•				F002, F003, non	methylene chloride rags, acetone rags, oily rags
M15 Storage	Ernie Cornwell	•					D003	Reactive trimmings from rocket motors
N-159 E106	2548,57-340 Earl Frederick 1018			•			UW	Lead acid batteries
N159 PB	Henry Henry 2026	•					D001,D035, F003, F005	Paint Waste, Paint Thinner
N159 hangar	Ed Sudendorf 1240				•			Visiting aircraft waste
N159 BL	Ed Sudendorf 1240	•		•			UW; D002,D006 F003, non	UW Batteries, Electrolyte from battery refills Acetone, Methanol,
N159 BGC Lab	Carolyn Makimen 2176	•					1003, 11011	Oxazine 1 perchlorate (non) from bio lab
F27	Larry Thornton 1451	•					D001, D018	Gasoline and absorbent from filling station overfills
N162 Rm 114	Dan Bowden 1621			•			UW	UW NiCAd batteries from antennae controls changeouts
N165	Steve Sayers 1556 Phil Martin		•		•	•	Non, D006	Used oil from antenna changes, PW Nonhaz
NOAA	Gregg Frostrom 824-7346 Gordon Chancey Doug Crawford 824-7375	•	•	•			D001,D035, F003, F005; non	Paint thinner, UW fl tubes, Used oil, Oily rags from maintaining antenaes, Aerosol can crusher

HAZARDOUS WASTE DISPOSAL INVENTORY

Site:	Greenbelt Wallops Main Base (EPA ID# VA88)		0.0000000000000000000000000000	PA ID# VA780	000020888)					
Date:	12/12/06	GENERATOR INFO	DRMA	Sheet	of					be COMPATIBLE.
Name				Code	231					be CLOSED. be LABELED.
Phone		Bldg. D-37		Room						shall NOT be mixed.
		WASTE INV	ENTO	RY						
ITEM	WASTE DESCRIPTION Describe material to be collected by its specific chemical constituents or by trade name.	GENERATING PROCESS Describe the work process that made the waste, e.g., expired shelf life, cleaning paint brushes.		CONTAINI Describe type, bottle, sealed b	e.g., drum,	Checi block	STAT k appro		Insert ap	WASTE TRAIT propriate code.
	Di Ge (*A)	·	No.	Size	Туре	Gas	Liq	Solid	Trait	Code
1.	SP5 filters	changing filters	17.	55					17	CA - Corrosive Acid
2.	JP5 Juel	// /		55					F	(pH<2) CB – Corrosive Base
3.	L 0		ļ						-	(pH>12.5) F Flammable
4.			ļ							- (Flashpoint
5.						$\perp \square$				< 140F) NR – Non-Regulated
6.						$\perp \square$				Ox - Oxidizer
7.								<u> </u>		Px – Peroxide R – Reactive (H₂O, air
8.									<u> </u>	or otherwise sensitive)
9.									ļ	T - Toxic Other (Specify)
10.						$\downarrow \Box$				
11.										
12.										
	GENERA	TOR COMMENTS					Eπ	/ironr	nental	Office Use
Have	e you received Resource Conservation and Recovery A e you made a good faith effort to minimize your waste go	eneration by considering substitute	es or alt	ernatives?	☐ Yes [No No	Date	receive	4 - 100	7/2/06
	ments. Indicate special requirements (if any) for collected, generator wishes to monitor collection, etc.				rea, appointr	nent	Initia	als:		MB,/8M
		GENERATOR CE	RTIF	ICATION						
I her	eby declare that the contents of this inventory are fully,	and accurately stated as described	d by thei	r waste, proce	ess, and conta	ajner p	aramet	ters.		
Print	ed Name E. Gray Signature	il July		Date	12/12/	06				

At Greenbelt, when ready for pickup, you may e-mail the completed form by calling 6-9233 for an e-mail address, or fax it to 6-0368. Coordinate waste pickup by dialing 6-9233. At Wallops, when ready for pickup, e-mail completed form to wffnazw@pop200.gsfc.nasa.gov or fax it to x1819. Coordinate waste pickup by dialing x1718.

Florescent Bulb Crushing Operations

The bulb crusher, Dextrite ULC-55 FDA-E, will be operated and maintained in accordance with the manufacturer's recommendations which are attached. It will be operated indoors. The manufacturer certifies that the unit is designed to capture both part particulate and vapor phase mercury. The filter is an, activated charcoal, and negative air flow unit.

Documentation from the manufacturer is attached that the filter is capable of achieving OSHA permissible Exposure Limit (PEL) for mercury of 0.10 milligrams per cubic meter in indoor ambient air and achieves a particle retention rate of 99.97 percent in the HEPA filter (at a particle diameter of 0.3 microns).

The drum containing the crushed bulbs will be labeled Universal Waste Lamps and dated with the date that the first bulb is crushed. The drum shall be closed, nonleaking and in good condition. The Environmental Office will be called before the drum is full or within 9 months of the date on the drum. All waste lamps will be recycled offsite within one year from the date of the first bulb entering the crusher.


All maintenance activities and dates of filter changes will be recorded in a log and recorded on the new filter.

All personnel involved in bulb crushing will receive initial training on bulb crushing procedures. In addition these personnel will attend annual RCRA generator training which addresses waste handling procedures and emergency procedures. Documentation shall be kept which documents that these trainings were held.

Filters or other spill material will be containerized and properly labeled

Commonwealth of Virginia

Web Policy | Governor of Virginia | Contact Us



G٥ Search DEQ

Advanced search

Virginia DEQ Home > Waste Management Home > Fluorescent lights (regulation)

email: Steven Frazier

Waste Home

Brownfields/Land Renewal

Hazardous Waste

Solid Waste

Voluntary Remediation

Financial Assurance

Litter Prevention & Recycling

Superfund Sites

Forms

Reports

Regulations

Guidance

FAOs

Links

Tax Credit

Permits

Public Notices

Federal Facilities

Waste management contacts

Fluorescent lights (regulation)

PART XVI.

ADDITIONAL UNIVERSAL WASTE MANAGEMENT PROVISIONS

9 VAC 20-60-1495. General Provisions

9 VAC 20-60-1505. Additional Universal Wastes - Mercury-containing Lamps

9 VAC 20-60-1495. General Provisions

A. Hazardous wastes defined to be universal wastes in the texts incorporated by reference at 9 VAC 20-60-260 and 9 VAC 20-60-273 and hazardous wastes as defined in 9 VAC 20-60-1505 shall be universal wastes for the purposes of these regulations, the Virginia Hazardous Waste Management Regulations.

B. A universal waste maybe managed under the general provisions as hazardous waste or under the special provisions as universal waste. The generator shall determine under which provisions the waste shall be managed and subsequent management shall be consistent with that determination by the generator.

9 VAC 20-60-1505. Additional Universal Wastes - Mercury-containing Lamps

A. "Mercury-containing lamp" means an electric lamp into which mercury was intentionally introduced by the manufacture for the operation of the lamp. "Electric lamp" means the bulb or tube portion of a lighting device specifically designed to produce radiant energy, most often in the ultraviolet (UV), visible, and infrared (IR) regions of the electromagnetic spectrum. Electric lamps include, but are not limited to: incandescent lamps, fluorescent lamps, high pressure sodium lamps, high intensity discharge lamps, mercury vapor lamps, metal halide lamps, and neon lamps.

B. A used mercury-containing lamp becomes a waste on the date the handler permanently removes it from its fixture. An unused mercury-containing lamp becomes a waste on the date the handler discards

C. In addition to the provisions of Part III and other parts of these regulations pertaining to universal wastes, the following special requirements apply to universal wastes that are mercury-containing lamps:

- 1. All handlers (both small quantity handlers and large quantity handlers) of universal waste must manage universal waste mercury-containing lamps in accordance with the requirement of 9 VAC 20-60-273 that apply to all universal wastes.
- 2. All handlers (both small quantity handlers and large quantity handlers) of universal waste must manage mercury-containing lamps so as to prevent releases of any universal waste or component thereof to the environment. This includes, but is not limited to:
- a. Containing unbroken lamps in packaging that will minimize breakage during normal handling conditions;
- b. Containing broken lamps in packaging that will minimize releases of lamp fragments and residues;
- c. Managing lamps so as to minimize breakage;
- d. Immediately containing all releases of residue from the lamps; and
- e. Determining if any material resulting from a release, clean-up residues from a spill or breakage, or other solid waste generated from handling the lamps is hazardous waste in accordance with 9 VAC 20-60-261. If these wastes are found to be hazardous waste, they shall be managed under the requirements for hazardous waste contained in these regulations.
- 3. Universal waste mercury-containing lamps may be crushed or intentionally broken on-site to reduce their volume; however, breaking, crushing, handling, and storage must occur in a safe and controlled manner that minimize the release of mercury to the workplace and the environment and must comply with 29 CFR 1910.1000. The procedure for breaking, crushing, handling and storing of the lamps must be documented and use a mechanical unit specifically designed for the process and incorporating the

35.01.03.12112

containment and filtration of process air flows to remove mercury-containing vapors and dusts.

4. In addition to the labeling and marking requirements of 9 VAC 20-60-273, universal waste mercury-containing lamps and containers of mercury-containing lamps must be labeled or marked clearly and legibly "Universal Waste Mercury-containing Lamps", "Waste Mercury-containing Lamps" or "Used Mercury-containing Lamps".

site index | help

Last updated: Monday, April 11, 2005 4:18 PM

Database updated through 21:11 V.A.R. February 7, 2005 (see cumulative table)

9VAC20-60-273. Adoption of 40 CFR Part 273 by reference.

- A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency set forth in 40 CFR Part 273 are hereby incorporated as part of the Virginia Hazardous Waste Management Regulations. Except as otherwise provided, all material definitions, reference materials and other ancillaries that are a part of 40 CFR Part 273 are also hereby incorporated as part of the Virginia Hazardous Waste Management Regulations.
- B. In all locations in these regulations where 40 CFR Part 273 is incorporated by reference, the following additions, modifications and exceptions shall amend the incorporated text for the purpose of its incorporation into these regulations:
- 1. In 40 CFR 273.32(a)(3), the term "EPA" shall mean the United States Environmental Protection Agency or his designee.
- 2. In addition to universal wastes included in 40 CFR Part 273, other wastes are defined to be universal wastes in Part XVI (9VAC20-60-1495 et seq.) of these regulations. Part XVI also contains waste specific requirements associated with the waste defined to be universal waste therein. In 40 CFR 273.1, the definitions in 40 CFR 273.9, and wherever elsewhere in Title 40 of the Code of Federal Regulations there is a listing of universal wastes or a listing of hazardous waste that are the subject of provisions set out in 40 CFR Part 273 as universal wastes, it shall be amended by addition of the following sentence: "In addition to the hazardous wastes listed herein, the term "universal waste" and all lists of universal waste or waste subject to provisions of 40 CFR Part 273 shall include those hazardous wastes listed in Part XVI (9VAC20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as universal wastes, under such terms and requirements as shall therein be ascribed." Any listing of universal wastes in 40 CFR Part 273 shall incorporate the universal wastes set out in Part XVI in a manner identical to those included in the federal text; whether, for example, as in 40 CFR 273.32(b)(4), 40 CFR 273.32(b) (5), 40 CFR 273.39(b)(2), and 40 CFR 273.62(a)(20) or as items to be included in a calculation or requirement as in the definitions of "Large Quantity Handler of Universal Waste" and "Small Quantity Handler of Universal Waste."
- 3. In addition to the requirements for lamps contained in 40 CFR 273, the following requirements shall apply:
- a. A used lamp shall be considered discarded and a waste on the date the generator permanently removes it from its fixture. An unused lamp becomes a waste on the date the generator discards it since that is the date on which he is deemed to have decided to discard it in accordance with 40 CFR 273.5(c)(2).
- b. Universal waste lamps may be crushed or intentionally broken on the site of generation to reduce their volume; however, breaking, crushing, handling, and storage must occur in a safe and controlled manner that minimizes the release of mercury to the workplace and the environment and must comply with 29 CFR 1910.1000. The procedure for breaking, crushing, handling and storing of the lamps must be documented and use a mechanical unit specifically designed for the process that incorporates the containment and filtration of process air flows to remove mercury-containing vapors and dusts.
- c. All handlers of universal waste (large or small quantity) who crush mercury-containing lamps under these universal waste regulations shall comply with the following provisions:
- (1) The handler must use a mercury-containing lamp crusher indoors with air pollution controls that capture both particulate and vapor phase mercury. At a minimum, these controls must include, or must be equivalent to the protection provided by a HEPA filter, activated charcoal, and a negative air flow (vacuum) through the crusher unit. The crusher must have documentation from the manufacturer that demonstrates that the unit:
- (a) Is capable of achieving the Occupational Safety and Health Administration Permissible Exposure Limit (PEL) for mercury of 0.10 milligram per cubic meter in indoor ambient air (under individual site-specific use conditions); and
- (b) Achieves a particle retention rate of 99.97% in the HEPA filter (at a particle diameter of 0.3 microns).
- (2) The handler must develop and implement a written procedure specifying how to safely crush universal waste lamps. This procedure must include: type of equipment to be used to crush the lamps safely, operation and maintenance of the unit in accordance with written procedures developed by the manufacturer of the equipment, and proper waste management practices. The handler must document maintenance activities and keep records of maintenance. In addition, the unit operator must receive training in crushing procedures, waste handling and emergency procedures (training must be documented).

504 0000 JONA COO CO 072

- (3) Residues, filter media, or other solid waste generated as part of the crushing operation, which are not being reclaimed and which exhibit any characteristics of a hazardous waste, must be managed in accordance with all applicable hazardous waste management requirements.
- (4) The handler must ensure that spills of the contents of the universal waste lamps that may occur during crushing operations are cleaned up in accordance with 40 CFR 273.13 (d)(2) or 40 CFR 273.33 (d) (2).
- (5) The handler must store the crushed lamps in closed, nonleaking drums or containers that are in good condition. Transfer of the crushed lamps to other drums or containers is not permitted.
- (6) Drums or containers used for storage of crushed lamps must be properly sealed and labeled. The label shall bear the words "Universal Waste-Lamp(s)," "Waste Lamp(s)," or "Used Lamp(s)."
- 4. A small quantity handler having a waste subject to the requirements of 40 CFR 273.13(a)(3)(i) is also subject to 9VAC20-60-270 and Parts IV (9VAC20-60-305 et seq.), VII (9VAC20-60-420 et seq.), and XII (9VAC20-60-1260 et seq.) of this chapter.

Statutory Authority

§§10.1-1402 and Article 4 (§10.1-1426 et seq.) of Chapter 14 of Title 10.1 of the Code of Virginia.


Historical Notes

Derived from Virginia Register Volume 15, Issue 9, eff. February 17, 1999; amended, Virginia Register Volume 18, Issue 11, eff. March 13, 2002.

new search | table of contents | home

Commonwealth of Virginia

Web Policy | Governor of Virginia | Contact Us



Search DEQ Go

Advanced search
Virginia DEQ Home > Waste Management Home > Fluorescent lights/mercury-containing lamps (universal waste)

email: <u>Steve Frazier</u>

Waste Home

Brownfields/Land Renewal

Hazardous Waste

Solid Waste

Voluntary Remediation

Financial Assurance

Litter Prevention & Recycling

Superfund Sites

Forms

Reports

Regulations

Guidance

FAQs

Links

Tax Credit

Permits

Public Notices

Federal Facilities

Waste management contacts

Fluorescent lights / mercury-containing lamps (universal waste)

Virginia previously incorporated language in Part XVI of the hazardous waste management regulations that included mercury-containing lamps as a state-declared universal waste. Amendment 15 of the hazardous waste regulations, Section 9 VAC 20-60-273, incorporates the federal universal waste rule language by reference. Virginia included mercury containing lamps as a state-declared universal waste prior to the adoption of federal standards. General management requirements for these universal wastes (both small quantity handlers and large quantity handlers) are in accordance with the federal requirements as adopted by reference in 9 VAC 20-60-273, with certain additional provisions included from the previous Virginia regulations.

Please note that the "universal waste rule" does not authorize disposal of fluorescent lamps or other mercury-containing lamps in landfills.

There has been some confusion and misinformation on this point. Management of mercury containing lamps under Virginia's special provisions is based on a "recycling presumption", i.e., in order to qualify for the reduced management requirements the lamps must be collected or managed for recycling/reclamation within the general guidelines of the federal universal waste requirements. Lamps that are to be "disposed of" rather than legitimately recycled/reclaimed are subject to full regulation as hazardous wastes if they exhibit a hazardous waste characteristic. Generators who do not manage their mercury-containing lights under the universal waste conditional exclusion may refer to the previous Virginia guidance paper on fluorescent light management for disposal information.

Please note that broken lights unsuitable for reclaim, contaminated residues, and all other mercury-containing wastes not meeting the criteria of 9 VAC 20-60-273 are potentially subject to full regulation as hazardous waste. NOTE THAT 9 VAC 20-60-273 and Part XVI OF THE REGULATIONS APPLIES ONLY TO MERCURY-CONTAINING LAMPS AND DOES NOT INCLUDE ANY OTHER MERCURY CONTAINING DEVICES (e.g., thermometers, barometers, scientific instruments).

Mercury-containing Lamp Crushing

To encourage recycling and reclamation of mercury containing bulbs, Virginia does recognize and allow the use of bulb crushing devices meeting certain standards of operations. Crushed bulb residues may be managed for reclamation, not disposal, as a universal waste under these regulations. The specific requirements for management and use of bulb crushing devices may be found at 9 VAC 20-60-273. Please refer to the regulations for the specific language.

In general the requirements for bulb crusher operation specify that the crushers must be operated indoors, be equipped with pollution control devices (HEPA, activated charcoal etc.), and they must be certified that they will meet certain OHSA standards. The facility must develop a written procedure for their operation. Routine maintenance, operation, and filter changes must be in accordance with the manufacturer's directions, a logbook verifying their operation and maintenance must be maintained, and operators must be trained to operate them correctly.

Virginia adopted these standards because most commercial lamp crusher vendors certify that their equipment meets the OSHA standards we have adopted. In lieu of the operating facility being required to perform frequent, extensive, and expensive industrial hygiene surveys for mercury exposure, we believe that the manufacturer's claim is acceptable as long as the devices are operated in accordance with their certifications.

The handler must store the crushed lamps in closed, non-leaking drums or containers that are in good condition. Transfer of the crushed lamps to other drums or containers is not permitted.

For generators sending their lamps to universal waste reclamation/recycling facilities in other states -- as long as the receiving state recognizes the facility as a proper universal waste handler/reclaimer within its regulatory scope, operating for the purpose of recycling/reclamation of the subject universal wastes, Virginia DEQ will also accept such facilities as proper receiving facilities for crushed universal waste lamps. DEQ does not at present have information about facilities operating in other states, nor does DEQ maintain a list of "approved" facilities. Virginia generators managing their waste through facilities operating in other states are encouraged to contact the corresponding state agency for information on the facility's regulatory status. If receiving states will not accept crushed lamps for reclamation as a universal waste, the generator would be required to label and manifest in accordance with the receiving state's requirements at the time of off-site shipment.

Low Mercury Lamps

Several manufacturers have developed products marketed as "low mercury" lamps, and generally substantiate this claim by stating that they do not fail the TCLP characteristic for hazardous waste. DEQ does not specifically endorse any manufacturer's claim, but recognizes that many manufacturers provide this information to their customers in support of their low mercury lamp products.

Generators may use the manufacturer's claim to support a knowledge-based waste characterization determination. Ultimately, any waste management liability on the part of the generator would depend on the accuracy of the manufacturer's claim and the generator's subsequent reliance on that information in making their waste characterization decision. We have found that most manufacturers making this claim have substantial data to demonstrate their conclusions. However, please bear in mind that their data is specific only to their products; any aggregate waste stream may differ if it contains other lamps.

As a "best management practices" policy, Virginia DEQ encourages generators to manage all mercury containing lamps under the provisions of the Universal Waste Rule. Even though these lamps may be managed as a non-hazardous waste if they do not fail TCLP and would be acceptable for landfill disposal, DEQ strongly recommends that generators of substantial quantities of them recycle them as a Universal Waste. We believe this prudent and environmentally responsible position will not only ensure future longevity of our landfills but will also minimize possible load rejection by landfill operators and potential calls for legislation for an outright ban on all fluorescent lamp disposal in landfills, with consequent higher management costs for all.

site index | help

Last updated: Monday, April 11, 2005 4:18 PM

last time batteries picked up from Electric

HAZARDOUS WASTE DISPOSAL INVENTORY

ite: (Greenbelt ☐ Wallops Main Base (EPA ID# VA88		**************************************	PÀ ID# VA780	000020888)		100	*		
		GENERATOR INFO	JKMA	T						COMPANIENT
ate:	2/8/07			Sheet	of /		1 -	_		be COMPATIBLE. be CLOSED.
ame:		DH - 11 - 120		Code Z	28					be LABELED. shall NOT be mixed.
hone		Bldg. F-16 ELEC WASTE INV	ENTO	Room			4.	wasie	materials	shall 1401 be mixed.
			=IN I C	75-12-13-13-13-13-13-13-13-13-13-13-13-13-13-		Т				
EM	WASTE DESCRIPTION Describe material to be collected by its specific chemical constituents or by trade name.	GENERATING PROCESS Describe the work process that made the waste, e.g., expired shelf		CONTAINERS - Describe type, e.g., drum, bottle, sealed bucket, etc.		Check block	STAT k approj		Insert app	WASTE TRAIT propriate code.
		life, cleaning paint brushes.	No.	Size	Туре	Gas	Liq	Solid	Trait	Code
1.	Leadacid batteries	expired	ZĆ						CAT	CA - Corrosive Acid
2.	oily rags	prev. main	1	bag				<u>u</u>	NR	(pH<2) CB – Corrosive Base
3.	Ni-cul battery	expired	1	,					CBT	(pH>12.5)
4.										F – Flammable (Flashpoint
5.	·									< 140F)
6.										NR – Non-Regulated Ox – Oxidizer
7.										Px - Peroxide
8.		·								R – Reactive (H₂O, a or otherwise sensitive
9.										T - Toxic Other (Specify)
10.		·								Other (Specify)
11.										
12.										
	GENERA	ATOR COMMENTS					Env	/ironi	mental	Office Use
Have	you received Resource Conservation and Recovery A you made a good faith effort to minimize your waste g	ct (RCRA) generator training within eneration by considering substitut	in the la	st 12 months? ernatives?	Yes Xes	□ No □ No	200 Sept. 1	receive	. 200 Day 95 CAMPAN NO.	18/07
	ments. Indicate special requirements (if any) for collected, generator wishes to monitor collection, etc.	tion of the waste material, e.g., re	stricted	access to an a	ırea, appoin	tment	Initia	THE COOK IS		WE
	(A)	GENERATOR CE	ERTIF	ICATION						
direct control of the	eby declare that the contents of this inventory are fully ed Name Signature	and accurately stated as describe	d by the	ir waste, proce	ess, and con	tainer p	arame	ters.		
		p / / VVI / O			13/09					
At G	reenbelt, when ready for pickup, you may e-mail the co fallops, when ready for pickup, e-mail completed form t	mpleted form by calling 6-9233 for wffhazw@pop200.gsfc.nasa.gov	r an e-m or fax i	ail address, o	r fax it to 6- pordinate wa	0368. (aste pici	Coordin	ate was	ste pickup x1718.	by dialing 6-9233.

GSFC 23-54 (2/04) ALL PREVIOUS EDITIONS ARE OBSOLETE

DOUS WASTE DISPOSAL INVENTORY

NOAA batteries

7/25/06			Sheet	of					be COMPATIBLE.
i l			Code	***			1		be CLOSED. be LABELED.
	Bldg. NOAA		Room						shall NOT be mixed.
The second secon	WASTE INV	ENTO	RY	4 -442 - 12			7	Park Stage	
WASTE DESCRIPTION escribe material to be collected by its specific chemical onstituents or by trade name.	GENERATING PROCESS Describe the work process that made the waste, e.g., expired shelf		CONTAINE Describe type, oottle, sealed be	e.g., drum,	Check block	STAT k appro	_	Insert ap	WASTE TRAIT propriate code.
Official allegated for	life, cleaning paint brushes.	No.	Size	Туре	Gas	Liq	Solid	Trait	Code
W; -₩.H)					9	NR	CA - Corrosive Acid
Dithium		(R,	(pH<2) CB – Corrosive Base
4 Kaline		28					<u>u</u>	NR	(pH>12.5)
Quergilite Lead	acid		2				旦	CAT	F – Flammable (Flashpoint
Mi-cd		7						CBI	< 140F)
wet lead acid		6				13		CAT	NR – Non-Regulated Ox – Oxidizer
									Px – Peroxide R – Reactive (H₂O, a
		<u> </u>						<u> </u>	or otherwise sensitiv
									T - Toxic Other (Specify)
				ļ					Janes (opeany)
				ļ					
GENER	ATOR COMMENTS					Εn	viron	mental	Office Use
ou received Resource Conservation and Recovery ou made a good faith effort to minimize your waste	Act (RCRA) generator training with generation by considering substitut	n the las	t 12 months? ernatives?	Yes Yes	No No	1000000	receiv	Language 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	725/06
ents. Indicate special requirements (if any) for colled, generator wishes to monitor collection, etc.	ction of the waste material, e.g., re	stricted a	ccess to an a	area, appoir	ntment	Initia	als:	7	Urbs. The
	GENERATOR CE	RTIF	CATION					277	n mandate.A
y declare that the contents of this inventory are fully	and accurately stated as describe	d by their	waste, proce	ess, and co	ntainer p	агате	ters.		

At Greenbelt, when ready for pickup, you may e-mail the completed form by calling 6-9233 for an e-mail address, or fax it to 6-0368. Coordinate waste pickup by dialing 6-9233. At Wallops, when ready for pickup, e-mail completed form to wffnazw@pop200.gsfc.nasa.gov or fax it to x1819. Coordinate waste pickup by dialing x1718.

GSFC 23-54 (2/04) ALL PREVIOUS EDITIONS ARE OBSOLETE


HAZARDOUS WASTE DISPOSAL INVENTORY


F-16 Present

Site: C	reenbelt Wallops Main Base (EPA ID# VA888		HEROTER POPULATION CONTRACTOR	PÀ ID# VA780	000020888					
		GENERATOR INFO	DRMA	r						
Date:				Sheet /	of /		1 -			be COMPATIBLE.
Name:					228					be CLOSED.
Phone		Bldg. Elec Shop F WASTE INVI	-16	Room			4	Waste	materials	shall NOT be mixed.
		WASTEINVI	ENTO	RY						
ITEM	WASTE DESCRIPTION Describe material to be collected by its specific chemical constituents or by trade name.	GENERATING PROCESS Describe the work process that made the waste, e.g., expired shelf life, cleaning paint brushes.		CONTAINE Describe type, bottle, sealed by	e.g., drum,	Check block	STAT k appro			WASTE TRAIT propriate code.
			No.	Size	Туре	Gas	Liq	Solid	Trait	Code
	Florescent tokes crished	Univwaste	1	55		12	므	10	TINR	CA - Corrosive Acid
2.	Alkaline batteries		6			<u> </u>	므	囚	WR	(pH<2) CB – Corrosive Base
3.	lead acid patteries		6						CATINE	(pH>12.5)
	Ni-Cd batteries		/_					1 De 1	ast/Nn	F – Flammable (Flashpoint
5.						$\perp \Box$				< 140F) NR – Non-Regulated
(J)			ļ							Ox - Oxidizer
75			ļ							Px – Peroxide R – Reactive (H₂O, air,
8	(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ļ						ļ	or otherwise sensitive)
Ų,	基础 对									T - Toxic Other (Specify)
10	3		-	ļ						- Carlot (opcomy)
υl	Eta-Daries de la Carte de la C		-							
12					·					
	GENERA	TOR COMMENTS					Em	/ironi	mental	Office Use
ائد ان.	you received Resource Conservation and Recovery Action and Recover	ct (RCRA) generator training within eneration by considering substitute	n the las es or alte	t 12 months? ernatives?	☐ Yes ☐ Yes	□ No □ No	E 37383	receive	C. Sizelization of the state of the	124/06
	nents indicate special requirements (if any) for collect and generator wishes to monitor collection, etc.	ion of the waste material, e.g., res	stricted a	access to an a	rea, appoir	ntment	Initia	249.6362565	M	15/sw
		GENERATOR CE	RTIF	ICATION						
116	eby declare that the contents of this inventory are fully a	and accurately stated as described	d by thei	r waste, proce	ess, and co	ntainer p	arame	ters.		•
213	usul Name Sandra Phipps Signature	ander Phipp	<u>2</u>	Date//	124/06					
dis	reenbelt, when ready for pickup, you may e-mail the con	npleted form by calling 6-9233 for	an e-ma	ail address, o	fax it to 6	-0368. C	Coordin	ate was	ste pickup	by dialing 6-9233.

Au Greenbelt When ready for pickup, you may e-mail the completed form by calling 6-9233 for an e-mail address, or fax it to 6-0368. Coordinate waste pickup by dialing 6-923 when ready for pickup, e-mail completed form to wffnazw@pop200.gsfc.nasa.gov or fax it to x1819. Coordinate waste pickup by dialing x1718.

APPENDIX H HAZARDOUS WASTE ACCUMULATION AREAS AND EVACUATION ROUTES





Version 2007 Page 56

INSPECTION RECORD <90-DAY STAGING FACILITY

<90-DAY.S	AGING FACILITY	Site: Greenbelt Wallops Main Base Wallops Island
	INSPECTION INFORMATION	
Location: Bldg.	829 Room Dat	te: 8/1/06
Inspector's Signat		
	HAZARDOUS WASTE CONTAINER	Annual Control of the
1.		Yes No N/
1.	Are any open?	
. Container	Are any severely rusted or leaking?	
Condition	Are any container heads bulging?	
Corrainon	Are any generating heat?	
	Are any odors noticeable?	
If any of these question.	ns were marked YES, please explain:	
Describe actions take	n to correct situation:	÷ · · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·	Are the contents marked on all containers?	
Container	Are all containers marked as Hazardous Waste?	
Markings	Is the accumulation start date on all containers?	
	Earliest accumulation date on container(s)	Date: No waste
If any of these question	s were marked NO, please explain:	
Describe actions taken	to correct situation:	
	STAGING FACILITY	
A 400	Is the area free of structural deterioration?	
Area	Is aisle space adequate between containers?	
Conditions	Are incompatibles separated?	
	Are security devices intact?	
rany or these questions	were marked NO, please explain:	
escribe actions taken t	o correct situation:	
	EMERGENCY RESPONSE EQUIPMENT	
Communication	Is it accessible in case of emergency?	
Device	Is, it in working order?	
	Is an empty salvage drum nearby?	
Spill Control	Is unused absorbent material nearby?	
	Is pump nearby?	
Cofoty	Is personal protective equipment nearby? Gloves Tyvek suit Goggles Respirato	
Safety	Is emergency eyewash/shower operational?	
Protection	Is a fire extinguisher readily accessible?	
ny of these questions v	rere marked NO, please explain:	1 2 2 2 2 2
scribe actions taken to	correct situation:	

GSFC 23-65 (12/03)

INSPECTION RECOLOS <90-DAY STAGING FACILITY

Site:	Greenbelt	
	Wallops Main Base	
	Wallons Island	\Box

15 to	INSPECTION INFORMATION	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Location: Bldg. B	29 Room Date:	7/21/06
Inspector's Signatu		11:50
	HAZARDOUS WASTE CONTAINERS	
P7744	TIAZATI DOG TIAGTE GOTT ATTENDE	Yes No
	Are any open?	
: Oamtainau	Are any severely rusted or leaking?	
Container	Are any container heads bulging?	
Condition	Are any generating heat?	
	Are any odors noticeable?	
If any of these guestic		
Describe actions taker	n to correct situation:	;
-	Y P	<i>i</i> .
	Are the contents marked on all containers?	
Container	Are all containers marked as Hazardous Waste?	
Markings	Is the accumulation start date on all containers?	
	Earliest accumulation date on container(s)	Date: 5/2/06
f any of these question	ns were marked NO, please explain:	
		· · · · · · · · · · · · · · · · · · ·
Jescribe actions taken	to correct situation:	•
	STAGING FACILITY	
Management of the Control of the Con	Is the area free of structural deterioration?	
Area	Is aisle space adequate between containers?	
Conditions	Are incompatibles separated?	
	Are security devices intact?	
any of these questions	s were marked NO, please explain:	
escribe actions taken t	o correct situation:	. '
	EMERGENCY RESPONSE EQUIPMENT	
Communication	Is it accessible in case of emergency?	
Device	Is, it in working order?	
	Is an empty salvage drum nearby?	
Spill Control	Is unused absorbent material nearby?	
	Is pump nearby?	
	Is personal protective equipment nearby?	
Safety		
Protection	Are the contents marked on all containers? Are all containers marked as Hazardous Waste? Is the accumulation start date on all containers? Earliest accumulation date on container(s) Pare marked NO, please explain: Percent situation: STAGING FACILITY Is the area free of structural deterioration? Is a sisle space adequate between containers? Ive incompatibles separated? Ive incompatibles separated? Ive security devices intact? In marked NO, please explain: Tect situation: EMERGENCY RESPONSE EQUIPMENT It accessible in case of emergency? It in working order? In empty salvage drum nearby? In unused absorbent material nearby? In pump absorbent material nearby? In pump absorbent material nearby? In pump personal protective equipment nearby? In gloves Tyvek suit Geoggles In geoggles Respirator: In grey explain: In geoggles Respirator: In grey explains readily accessible? In marked NO, please explain:	
:		<u> </u>
ny of these questions v	were marked NO, please explain:	. •
· · · · · · · · · · · · · · · · · · ·	. }	
cribe actions taken to	correct situation:	

INSPECTION RECOF <90-DAY STAGING FACILITY

Site:	Greenbelt	
	Wallops Main Base	
	Wallons Island	

		_
160	INSPECTION INFORMATION	
Location: Bldg.	B29 Room Date: 5	73/06
Inspector's Signatu		10:15
	HAZARDOUS WASTE CONTAINERS	
		Yes No N/
	Are any open?	
Container	Are any severely rusted or leaking?	
Condition	Are any container heads bulging?	
Condition	Are any generating heat?	
	Are any odors noticeable?	
If any of these question	ns were marked YES, please explain:	
Describe actions take	n to correct situation:	; .
	3 P	
	Are the contents marked on all containers?	
Container	Are all containers marked as Hazardous Waste?	
· Markings	Is the accumulation start date on all containers?	
	Earliest accumulation date on container(s)	Date: 5/2/04
If any of these question	ns were marked NO, please explain:	
Describe actions taken	to correct situation:	
	STAGING FACILITY	
Englishmone (0000) (1) the chief and the chi	Is the area free of structural deterioration?	
Area	Is aisle space adequate between containers?	
Conditions	Are incompatibles separated?	
	Are security devices intact?	
If any of these question	s were marked NO, please explain:	
Describe actions taken	to correct situation:	
975):	EMEDOENCY DESPONSE FOURMENT	
	EMERGENCY RESPONSE EQUIPMENT	
Communication	Is it accessible in case of emergency?	
Device	Is it in working order?	
ا مسلم م	Is an empty salvage drum nearby?	
Spill Control	Is unused absorbent material nearby?	
	Is pump nearby? Is personal protective equipment nearby?	
Safety	☐ Gloves ☐ Tyvek suit ☐ Goggles ☐ Respirator	
Protection	.ls emergency eyewash/shower operational?	
	Is a fire extinguisher readily accessible?	
any of these questions	were marked NO, please explain:	
escribe actions taken to	o correct situation:	

INSPECTION RECORD

<90-DAY STAGING FACILITY

Location: Bldg. Inspector's Signatur	INSPECTION INFORMATIO			Wallops		
		N			: }:	i dicadi
	B79 Room	Date:	A	4/25/	Ala	N. 1 R. 1. P. S. 1.
Inspector's digitatur		Time:	7	1	1340	
			10:	00 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	00374A	NOT WELL
	HAZARDOUS WASTE CONTAI	NERS	对外的			
	Aro any anag				Yes	No .
	Are any open? Are any severely rusted or leaking?				井	
Container	Are any container heads bulging?	•			퓜	
Condition	Are any generating heat?				井	
	Are any odors noticeable?				片	
16 6 11						
if any of these question	ns were marked YES, please explain:					
		 			, .	
Describe actions taken	to correct sifuation:			1.	,	
					n/	
Container	Are the contents marked on all containers? Are all containers marked as Hazardous Waste?					片나
	Is the accumulation start date on all containers?		<u>.</u>			岩무
Markings	Earliest accumulation date on container(s)			Data	الوا	wast
	s were marked NO, please explain:					
Describe actions taken t	STAGING FACILITY					
	Is the area free of structural deterioration?		1000	1	.	ПГ
Area	Is aisle space adequate between containers?			-		7 7
ļ.	Are incompatibles separated?					
Conditions				1.5	\Box	
Conditions				[
	Are security devices intact? were marked NO, please explain:				J 1	
any of these questions	Are security devices intact? were marked NO, please explain:	•		[
any of these questions	Are security devices intact? were marked NO, please explain:	лЕÑŤ				
any of these questions	Are security devices intact? were marked NO, please explain: correct situation:	лЕМТ				
any of these questions	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIPM	лЕÑŤ				
any of these questions escribe actions taken to Communication Device	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIP Is it accessible in case of emergency?	лЕÑТ.				
any of these questions escribe actions taken to	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIPITE Is it accessible in case of emergency? Is it in working order? Is an empty salvage drum nearby? Is unused absorbent material nearby?	лЕМТ				
any of these questions escribe actions taken to Communication Device	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIPM Is it accessible in case of emergency? Is it in working order? Is an empty salvage drum nearby? Is unused absorbent material nearby? Is pump nearby?	лЕÑТ.				
any of these questions escribe actions taken to Communication Device Spill Control	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIP Is it accessible in case of emergency? Is it in working order? Is an empty salvage drum nearby? Is unused absorbent material nearby? Is pump nearby? Is personal protective equipment nearby?					
any of these questions escribe actions taken to Communication Device Spill Control Safety	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIPN Is it accessible in case of emergency? Is it in working order? Is an empty salvage drum nearby? Is unused absorbent material nearby? Is pump nearby? Is personal protective equipment nearby? Gloves Tyvek suit Goggles Re	ЛЕЙТ				
any of these questions escribe actions taken to Communication Device Spill Control	Are security devices intact? were marked NO, please explain: correct situation: EMERGENCY RESPONSE EQUIP Is it accessible in case of emergency? Is it in working order? Is an empty salvage drum nearby? Is unused absorbent material nearby? Is pump nearby? Is personal protective equipment nearby?					

Describe actions taken to correct situation:

DESIGNATED FACILITY TO GENERATOR

Form Approved. OMB No. 2050-0039 Ype (Form designed for use 12-pitch) typewriter.) Please print of 4. Manifest Tracking Number 2. Page 1 of 3. Emergency Response Phone UNIFORI HAZARDOUS 1. Generato (800) 535-5053 000058 0010763 WASTEE **M**ANIFEST Generator's Site Address (if different than mailing address) S Name and Mailing Address 5. Generato ANGSEC WALLOPS FLIGHT FAC AN BASE FACILITY DG F160 MAIL CODE 250 W JALLOPSISLAND, VA 23337 SAME Generator's Phone: 757 624-2121 U.S. EPA ID Number 6. Transporter 1 Company Name N J D O 8 D 6 3 1 3 6 9 VEOUA EES TECHNICAL BYTTONS 7. Transporter 2 Company Name U.S. EPA ID Number 8. Designated F acility Name and Site Addn Annua ES TECHNICAL SOLUTIONS , ANTINFIRMARY ROAD EST CARROLLTON, OH 45449 0 4 0 0 9 3 9 4 5 7 9 3 937 859-6101 Facility's Phone: 9b. U.S. DOT Description (including Pro Shipping Name, Hazard Class, ID Number, Containers 11. Total 12. Unit 9a 13. Waste Codes Wt./Vol. and Packing Group (if any)) No. Туре Quantity HM D001 I WAS TE AFFOSOLS, FLAMABLE, LEACH NOT EXCEEDING 1L X CAPACITY, Z1, UN1950, JOT-SP 11396 GENERATOR Ü 0 0 1 D M 00090 2 RQ, WASTEFLAMMABLE HOUDS, n.o.s., (JP-5 JET D004 FUEL), 3, UN1993, II, (D001) onano ç 0 0 2 D 14 F003 DUUT 3. RO, WASTE PAINT RELATED MATERIAL INCLUDING PAINT THINAING, DRYING, REMOVING, OR REDUCING 0 0 1 00400 \mathbf{p} F005 0035 COMP CUND, 3, UN1263, II, (0001 F003 F005) 4. RO, VARASTE FLAMMABLE SOLIDS, ORGANIC, no.s., UUUT WP-5 FUEL), 4.1, UN1325, II. (D001) 0 0 6 D M 01200 14. Special Handling Instructions and Additional Information 1) ERG: 126 A: SRR-AEROSOL FLAMM AEROSOLS 2) ERG: 128 A: SRRFS 45" JP5/JP4 FUEL 3) ERG 128 A SRRFS 4 PAINT THINNER 4) ERG 133 A SRRSOUD JPS FUEL DEBRIS AND FILTERS - INFOTRAC ACCOUNT #86072 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPAAcknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true Generator's/Offeror's Printed/Typed Nam Year 16. International Shipments Export from U.S import to U.S. Port of entry/exit: Transporter signature (for exports only): Date leaving U.S. 17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Signature Month Day Year Transporter 2 Printed/Typed Name 25 5 Discrepancy 18a. Discrepancy Indication Space Туре Full Rejection Quantity Residue Partial Rejection Manifest Reference Number 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: 18c. Signature of Alternate Facility (or Generator): Month Day Year 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Day Printed/Typed Name EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

000507

Form Approved. OMB No. 2050-0039 Please print or type. (Form designed for use on elite (12-pitch) typewriter.) 21. Generator ID Number 22. Page 23. Manifest Tracking Number UNIFORM HAZARDOUS WASTE MANIFEST VA8800010763 2 of 2 000058776VES (Continuation Sheet) NASAUSTU WALLUPS FLIGHT FACIL 24. Generator's Name U.S. EPA ID Number 25. Transporter DKNO9965825 U.S. EPA ID Number 26. Transporter ____ Company Name-27b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, 30. Unit 27a: 29. Total 31. Waste Codes HM and Packing Group (if any)) Туре Quantity Wt./Vol. No. 5, NUN-RURA LIQUID, n.o.s., NONE, NONE KONE HAKOU! 03200 P ០០ខ ON 1072 6. CHEMICALS, n.o.s., NONE, NONE HONE p 001 DF 00060 RW99: GENERATOR 32. Special Handling Instructions and Additional Information 5) A SRROIL-NH MIXED OIL AND CUTTING FLUIDS (8) A BRELPCONSOL PLC 33. Transporter Acknowledgment of Receipt of Materials Printed/Typed Name Signatur 20107 34. Transporter Acknowledgment of Receipt of Materials Printed/Typed Name Signature Month Day Year 35. Discrepancy 36. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

Land Disposal Restriction Notification Form

Generator Name NASA/GSFC WALLOPS FLIGHT FACIL

EPA ID Number VABB00050763 Manifest 000058776VES

This notice is being provided in accordance with 40 CFR 268.7 to inform you that this supment contains waste restricted from land disposal by the USEPA under the land disposal restriction program. Identified below for each container is the designation of the waste as a wastewater or non-wastewater, the Clean Water Act (CWA) permit status associated with the treatment/disposal facility, applicable waste codes and any corresponding subcategories, list of any P001-F005 solvent constituents that are present in the waste, and any underlying hazardous constituents (UFC) that are present.

Container Humber PS-07/1960(40)-003 (1/ 1)

WIP / Approval Code 255266 / SRR-AEROSOL

Form Designation / CWA Status Won-Wastewater / Non-CWA

vesse unies (percentages (us)) — formation of the property of the property of the percentages (us) — formation of the percentage (us) — formation of th

LIQUIDS #510% TOC INCLUDES ALL IGN, GASES.

FLAMNABLE SOLIDS & OMDIZERSH

Constituents (1904 - 1995)

UriCs Frescut. No.

Treatment Requirements

Additional Medicus.

None Restricted waste requires meatment to applicable standards.

Container Number PS-U//19000000-005 (1) 21

WIP / Approval Code: 322860 / SKRFS<5"

Form Designation / CWA Status - Non-Wastewater / Non-CWA

Waste Codes (Bubustogratics): 0001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >=

10% TOC PER 261.2 1(a)(1))

Constituents (F001 - F005):

None

新新维维斯

UHCs Present:

Not Applicable

Treatment Remirements

Restricted waste requires frealment to applicable standards.

Additional Motices:

Container Number PS-0771980000-001 (1/ 3)

WIF / Approval Code: 255275 / SRRFS<5"

Form Designation / CNVA, Status: Non-Wastewater / Non-CWA

Waste Codes (Bubukteacries): D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >==

10% TOC PER 261.2 1(a)(1)), D035, FIRE (NONE), FX65

(MONE)

Constituents (F001 - P005)

None

UHCs Fresent.

140190

Trestment Requirements

Westmeters whate requires treatment to applicable standards,

Additional Motivas

Container Number PS-0771960000-008 (1/ A)

WIP / Approval Code;

322816 / SRRSOLID

Form Designation / CWA Status:

Non-Wastewater / Non-CVVA

Waste Codes (Subcategories):

DOI (IGNITABLE CHARACTERISTIC WASTE, OTHER THAN

LIQUIDS >=10% TOC INCLUDES ALL IGH. GASES.

FLANMADIE SOLIDS & OVIDIZERS!!

Constituente (Men - 1918) à c

WHES A WHILL

£-\$124,464

Treatment Requirements:

કે હૈદાક કહે

Restricted waste requires treatment to applicable standards.

Additional Frances.

Uncarby certury that all information in this and associated land disposal restriction decorned is complete and accurate to the best of my knowledge and information

Signature

T : 1 12

Environmental Engineer Date 1/23/07

HAZARDOUS WASTE DISPOSAL INVENTORY

		GENERATOR INFO	OL MIX	1	1	
Date:				Sheet	of	
Name	: Gregg Frotim			Code		
Phon	B L./	Bldg. NOAA		Room		
		WASTE INV	ENTO	RY		
ITEM	WASTE DESCRIPTION Describe material to be collected by its specific chemical constituents or by trade name.	GENERATING PROCESS Describe the work process that made the waste, e.g., expired shelf life, cleaning paint brushes.	CONTAINERS Type — Describe type, e.g., drum, plastic bottle, sealed bucket, etc.			
		tije, cleaning paint orusnes.	No.	Size	Туре	Ga
1.	Florescent tubes	expired	3	tuze!	rixes	
2.	L(expired	1-	rectan	war Rey	1 -
3.		- 1				
4.						
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
	GENERA	TOR COMMENTS			7	
	you received Resource Conservation and Recovery Ac you made a good faith effort to minimize your waste ge				☑ Yes ☐	No No
	ments. Indicate special requirements (if any) for collected, generator wishes to monitor collection, etc.	ion of the waste material, e.g., rest	tricted ac	ccess to an ar	ea, appointm	ent
		GENERATOR CE	RTIFIC	CATION		
	by declare that the contents of this inventory are fully and Name 3/499 Frostway Signature	nd accurately stated as described	/	waste, proces	ss, and contai	

GSFC 23-54 (2/04) ALL PREVIOUS EDITIONS ARE OBSOLETE